
D-MAX-SERIES

THE **BOLD** NEW AGE

Introducing the All-New ISUZU D-MAX. Our Boldest Pickup yet.





ISUZU D-MAX SINGLE CAB SPECIFICATIONS



MAKE	ISUZU DMAX	ISUZU DMAX	ISUZU DMAX
MODEL/ TRIM	TFR86 BASE HR (A/C)	TFR86 BASE HR (A/C, A/BAG)	TFS86 BASE(A/C, A/BAG)
DRIVE CONFIGURATION	4x2	4x2	4x4
ENGINE			
Engine Code	4JK1-TC HO	4JK1-TC HO	4JK1-TC HO
Displacement (cc)	2499	2499	2499
No. of Cylinders	4	4	4
Compression Ratio	18.1:1	18.1:1	18.1:1
Bore x Stroke	95.4 x 87.4	95.4 x 87.4	95.4 x 87.4
No. of Valves	16	16	16
Power (kW) @ r/min	100 @ 3600	100 @ 3600	100 @ 3600
orque (Nm) @ r/min	320 @ 1800-2800	320 @ 1800-2800	320 @ 1800-2800
Fuel System	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection
uei System urbocharger	Std	Std	Std
ntercooler	Std	Std	Std
	Siu	Sid	Sid
MMISION STANDARD			
mmison Standard UEL	Euro-4	Euro-4	Euro-4
uel Type	Diesel	Diesel	Diesel
RANSMISSION			
ransmission Type	5-Speed Manual	5-Speed Manual	5-Speed Manual
WD Rotary Switch Control - 2 Speed Transfer Case	-	-	Std
ow Range Ratio		_	2.482
RONT DIFFERENTIAL			2.702
hift On The Fly	-	_	Ctd
-	-	-	Std
xle Ratio Final Drive	<u> </u>	-	4.1
REAR DIFFERENTIAL	2		
imited Slip Differentoal (LSD)	Std	Std	Std
xle Ratio Final Drive	3.909	3.909	4.1
HASSIS DESIGN			
Vheel Suspension Front	Highride Coil Spring	Highride Coil Spring	Highride Coil Spring
/heel Suspension Rear	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung
hock Absobers	Twin-tube Gas Pressurised (Heavy Duty)	Twin-tube Gas Pressurised (Heavy Duty)	Twin-tube Gas Pressurised (Heavy Duty)
Hi-ride Suspension	Std	Std	Std
kid Plate Guard	Std	Std	Std
ngine Sump Guard	Std	Std	Std
ransfer Case Guard	-	-	Std
uel Tank Guard	Std	Std	Std
VHEEL / TYRES	Sid	J Sid	Sid
	005D16C (AT)	205D16C (AT)	0.45/70 D16 (AT)
yre Size	205R16C (AT)	205R16C (AT)	245/70 R16 (AT)
/heel Size / Type	6.5J-33x16"Steel	6.5J-33x16"Steel	7.0J-33x16" Alloy
pare Wheel Size / Type	6.5J-33x16"Steel	6.5J-33x16"Steel	7.0J-33x16" Steel
urnng Circle, Curb to Curb (m)	12.8	12.8	12.8
IMENSIONS			
ength (mm)	5218	5218	5218
/idth (mm)	1860	1860	1860
/idth inc. Mirrors (mm)	2132	2132	2132
eight (mm)	1790	1790	1790
/heelbase (mm)	3095	3095	3095
rack Front / Rear	1570 / 1570	1570 / 1570	1570 / 1570
round Clearance (mm)	225	225	224
oadbox Length (mm)	2318	2318	2318
padbox Width (mm)	1534	1534	1534
padbox Depth (mm)	440	440	440
pproach Angle (o)	30	30	30
eparture Angle (o)	22.4	22.4	22.4
reakover Angle (o)	22.4	22.4	22.4
• ,			600
Vading Depth (mm)	600	600	000
IASS / CAPACITY	00	0.55	
iross Vehicle Mass (GVM) (kg)	2850	2850	2950
ross Combined Mass (GCM) (kg)	4450	4450	4950
are Mass (kg)	1705	1710	1820
Payload (kg)	1086	1086	1071





ISUZU D-MAX SINGLE CAB SPECIFICATIONS



Towing Capacity Braked Trailer (kg)	2100	2100	2100
Fuel Tank Capacity (I)	76	76	76
LOAD BOX FEATURES	70	, ,	
Tie-down Brackets in Load Box for Load Restraint	4	4	4
Rope Hooks on Load Box (Side and Rear)	12	12	12
Cab Protector - Black	Std	Std	Std
SAFETY FEATURES			
Anti-Lock Brakes (ABS)	-	Std	Std
Electronic Brake-Force Distribution (EBD)	-	Std	Std
Brake Assist System (BAS)	-	Std	Std
ESC with Hill Descent Control & Hill Start Assist &	-	-	-
TSA Trailer Sway Assist			
Brake Overide System (BOS)	-	-	-
Side Impact Protection Bars	Std	Std	Std
3-Point Inertia Seatbelts, Height Adjustable (x2)	Std	Std	Std
2-Point Front Centre Seat Lap Belt	Std	Std	Std
Seat Belt Pre-tensioners	-	Std	Std
Seatbelt Reminder	Std	Std	Std
Driver and Front Passenger Airbags	-	Std	Std
Collapsible Steering Column	Std	Std	Std
SECURITY FEATURES	C+-1	0.1	0+-1
Transponder Immobiliser System	Std	Std	Std
INTERIOR / EXTERIOR LIGHTING Interior Courtesy Lights	C+4	C+4	C+4
Front Fog Lights	Std Std	Std Std	Std Std
Daytime Running Lights	- 510	- 510	
Headlights	Halogen, Multi-Reflector	Halogen, Multi-Reflector	Halogen, Multi-Reflector
Headlights "on" warning buzzer	Std	Std	Std
Side Indicator Position	Doors	Doors	Doors
Rear Tail Lights - Combination	Bulb	Bulb	Bulb
High Mounted Centre Stop Light	Std	Std	Std
EXTERIOR FEATURES	- Ciu	- Old	- Old
Radiator Grille Colour	Material Grey	Material Grey	Material Grey
Front Bumper Colour	Body Colour	Body Colour	Body Colour
Rear Bumper Colour	Std	Std	Std
Exterior Door Handle Colour	Material black	Material black	Material black
Exterior Mirror Colour	Material black	Material black	Material black
Exterior Mirrors	Manual	Manual	Manual
Folding Exterior Mirrors	Manual	Manual	Manual
Mudflaps	Std	Std	Std
INTERIOR FEATURES			
Power Assisted Steering (PAS)	Std	Std	Std
Gear Knob Trim	Std	Std	Std
Front Seats Configuration	Split Bench	Split Bench	Split Bench
Seat Trim	Canvas	Canvas	Canvas
Floor Trim	Vinyl	Vinyl	Vinyl
Driver Footrest	Std	Std	Std
Air Conditioner	Manual	Manual	Manual
12-V Auxiliary Power Supply	Std	Std	Std
Door Trim with Storage Pockets and Integrated Cup	Std	Std	Std
Holders	0+4	0.1	01-1
Fuel Flap Remote Fixed Rear Window, with no Defogger	Std	Std	Std
Windows Window, with no Detogger	Std	Std	Std Manual
Cruise Control	Manual -	Manual	iviariuai
INFOTAINMENT	-	-	
Radio Tuner, Front-Loading CD Player, MP3	Std	Std	Std
Functionality and Bluetooth Audio Streaming with	Siu	Siu	Siu
Integrated Mobile Hands-Free			
AM/FM Radio, Clock, Bluetooth® Audio/ Hands-Free	-	-	-
Phone, 8" Touchscreen			
Audio Input Terminal: Auxiliary, USB	Std	Std	Std
No. of Speakers	1-	0	2
	2	2	<u></u>
OPTIONS			
Metallic Paint	Opt.	Opt.	Opt.





ISUZU D-MAX DOUBLE CAB 2.5L SPECIFICATIONS



MAKE	ISUZU DMAX
MODEL/ TRIM	TFS86 2.5L (BASE+,A/C,A/BAG)
DRIVE CONFIGURATION	4x4
ENGINE	TAT
Engine Code	4JK1-TC HO
Displacement (cc)	2499
No. of Cylinders	4
Compression Ratio	18.1:1
Bore x Stroke	95.4 x 87.4
No. of Valves	16
Power (kW) @ r/min	100 @ 3600
Torque (Nm) @ r/min	320 @ 1800-2800
Fuel System	Common Rail Direct Injection
	Std
Turbocharger Intercooler	Std
	Std
EMMISION STANDARD	E
Emmison Standard	Euro-4
FUEL	D: 1
Fuel Type	Diesel
TRANSMISSION	50 111 1
Transmission Type	5-Speed Manual
4WD Rotary Switch Control - 2 Speed Transfer Case	Std
Low Range Ratio	2.482
FRONT DIFFERENTIAL	
Shift On The Fly	Std
Axle Ratio Final Drive	4.1
REAR DIFFERENTIAL	
Limited Slip Differentoal (LSD)	Std
Axle Ratio Final Drive	4.1
CHASSIS DESIGN	
Wheel Suspension Front	Coil Spring
Wheel Suspension Rear	Leaf Spring Overslung
Shock Absobers	Twin-Tube Gas Pressurised (Heavy Duty)
Hi-ride Suspension	Std
Skid Plate Guard	Std
Engine Sump Guard	Std
Transfer Case Guard	Std
Fuel Tank Guard	Std
WHEEL / TYRES	
Tyre Size	245/70 R16 (AT)
Wheel Size / Type	7.0J-33x16" Alloy
Spare Wheel Size / Type	7.0J-33x16" Steel
Turnng Circle, Curb to Curb (m)	12.8
DIMENSIONS	
Length (mm)	5294
Width (mm)	1860
Width inc. Mirrors (mm)	2132
Height (mm)	1790
Wheelbase (mm)	3095
Track Front / Rear	1570 / 1570
Ground Clearance (mm)	225
Loadbox Length (mm)	1485
Loadbox Width (mm)	1535
Loadbox Depth (mm)	470
Approach Angle (o)	30
Departure Angle (o)	22.7
Breakover Angle (o)	22.4
Wading Depth (mm)	600
MASS / CAPACITY (#2)	
Gross Vehicle Mass (GVM) (kg)	2950
Gross Combined Mass (GCM) (kg)	4950
Tare Mass (kg)	1905
Payload (kg)	986
Towing Capacity Unbraked Trailer (kg)	750
Towing Capacity Oribinated Trailer (kg) Towing Capacity Braked Trailer (kg)	2100
Fuel Tank Capacity (I)	76
Li dei idilk Gapacity (i)	10







ISUZU D-MAX DOUBLE CAB 2.5L SPECIFICATIONS



SAFETY FEATURES	
Anti-Lock Brakes (ABS)	Std
Electronic Brake-Force Distribution (EBD)	Std
Brake Assist System (BAS)	Std
Side Impact Protection Bars	Std
Height Adjustable 3-Point Inertia Seatbelts with Pre-tensioner	Std
and Load Limiter	Siu
Outside - Rear - 3 Point Lap & Fixed Shoulder	Std
Centre - Rear Centre - 3 Point	Std
Seatbelt Reminder	Std
Driver and Front Passenger Airbags	Std
Collapsible Steering Column	Std
Rear Park Assist	Std
SECURITY FEATURES	
Remote Controlled Central Locking	Std
Speed Sensing Automatic Door Lock	Std
Childsafe Rear Door Locks	Std
Tail Gate Centre Pull Handle	Black
INTERIOR / EXTERIOR LIGHTING	
Interior Courtesy Lights	Std
Front Fog Lights	Std
Headlights	Halogen Multi-Reflector
Headlights "on" Warning Buzzer	Std
Side Indicator Position	Doors
High Mounted Centre Stop Light	Std
EXTERIOR FEATURES	Olu
Radiator Grille Colour	Material Grey
Front Bumper Colour	Body Colour
Rear Bumper Colour	Black
Rear Step Bumper with Park Assist	- Diduk
Exterior Door Handle Colour	Black
Exterior Mirror	Black, Power
Side Steps & Roof Rails	Std
Mudflaps	Std
INTERIOR FEATURES	Olu -
Power Assisted Steering (PAS)	Std
Height Adjustable Steering Column	Std
Gear Knob Trim	Urethane
Front Seats Configuration	2 * Bucket base
Rear Seats Configuration	Bench
Seat Trim	Base cloth
Floor Trim	Carpet
Driver Footrest	Std
Air Conditioner with Cabin Filter Polen	
Rear Heater Duct	Manual Sta
	Std Std
Anti-Dazzle Rear-View Mirror	Std Std
Electrically Operated Windows Featuring 'Express Up and Down' for Driver with Jam Protection	Std
12-V Auxiliary Power Supply	2
Lockable Glove Box	Std
Centre Console Storage Box with Lid	Std
Fixed Rear Window, with Defogger	Std
INFOTAINMENT	
Radio Tuner with RDS, Front - Loading CD Player, MP3 Functionality and Bluetooth Audio Streaming with Integrated Mobile	Std
Hands-Free	
	Std
Hands-Free	Std 4
Hands-Free Audio Input Terminal: Auxiliary, USB, iPOD	
Hands-Free Audio Input Terminal: Auxiliary, USB, iPOD No. of Speakers	
Hands-Free Audio Input Terminal: Auxiliary, USB, iPOD No. of Speakers WARRANTY / SERVICE INTERVALS	4





ISUZU D-MAX DOUBLE CAB 3.0L SPECIFICATIONS



MODEL	D-MAX RG06 3.0 L
Drive, Transmission	4X4, Automatic
ENGINE	
Code	4JJ3-TCX
Туре	3.0L, In-line 4-Cylinder Common-Rail Direct Fuel Injection with Intercooled Variable Geometry System Turbo Charger
Emmission Level	Euro 4
Displacement (cc)	2,999
Max Power kW(PS)/rpm*	140 (190) / 3,600
Max Torque Nm(kgm)/rpm*	450 (45.9) / 1,600 - 2,600
TRANSMISSION	450 (45.9) / 1,000 - 2,000
Туре	6-speed auto
SUSPENSION SYSTEM	
Front	Independent, Coil Springs, Gas Shock Absorbers, Upper & Lower Wishbones, Stabiliser Bar
Rear	Leaf Spring Overslung with Gas Shock Absober
TYRES & WHEELS	
Tyres	265/60 R18 (A/T Pattern)
Wheels	18" x 7.5J-33 Alloy
Spare Tyre	18" Alloy
WEIGHT, CAPACITIES & DIMENSIONS	
Length (mm)	5,285
Width (mm)	1,870
Height (mm)	1,822
Wading Depth (mm)	800
Seating Capacity (Persons)	5
Fuel Tank Capacity (litre)	76
INTERIOR FEATURES	
Hydraulic Power Assisted Steering,	Equipped
Adjustable Steering Column	Manual - Tilt and Telescopic
Leather Steering Wheel with Multifunction Controls	Switches - MID, Cruise control, Audio switch / Phone Switch / Voice Control
Seat Trim	Leather
Seating Capacity	5
Driver's Seat Adjustable	Manual Control - Six-way Adjustable with Height Adjustment
Air Conditioner	Automatic Climate Control , Dual Zone with Rear Cabin Cooling Vents
Sun Visor Vanity Mirror	Driver & Passenger with Vanity Mirror, Light and Card Holder
•	
Multi Information Display (MID), Dashboard Illumination Control	Equipped
Cruise Control	Equipped
Electrically Operated Windows	All with Driver Auto Up/Down with Jam Protection & Timer
Door Trim with Storage Pockets and Integrated Cupholders	Equipped
Fixed Rear Window, with Defogger	Equipped
Interior Courtesy Lights	Equipped
High-mounted Centre Stop Light	LED
Front Reading Lights	Equipped
Glove Box	Equipped - Lockable
EXTERIOR FEATURES	
Exterior Mirrors	Power Adjustable, Retractable
Side Steps	Equipped
Mudflaps	Front & Rear
Daytime Running Lights (DRL)	LED
BI-LED Headlights with "on" Warning Buzzer, Rear LED Combination Tail-Lights, Luggage Lamp	Equipped
Roof Rail	Capacity - 100kg
INFOTAINMENT	<u> </u>
Infotainment (with CD/DVD PLAYER, CABLE)	9" Display Audio, on Demand by Smart Phone (Apple Carplay / Android Auto) with WiFi & Bluetooth
No. Of Speakers	8
Tio. or opeanors	



ISUZU D-MAX DOUBLE CAB 3.0L SPECIFICATIONS



SAFETY	
Antilock Brake System (ABS), Electronic Brake-Force Distribution (EBD), Emergency Brake Assist (EBA), Electronic Stability Control (ESC), Traction Control System (TCS), Hill Descent Control (HDC), Hill Start Assist (HSA), Parking Aid (Fornt & Rear), Blind Sport Monitor (BSM), Rear Cross Traffic Alert (RCTA)	Equipped
Variable Speed Intermittent Wipers	Equipped with Rain Sensing Wipers
Airbags	7- Dual Front Airbags (Driver + Passenger), Roof Rail and Side Airbags, Driver Knee Airbag
Automatic Door Unlock with SRS Airbag Deploy	Equipped
Daytime Running Lights (DRL)	Equipped
LED Fog Lamps - Front	Equipped
Fog Lamps - Rear	Equipped
Front Headlamp Levelling	Automatic
Auto-on Headlamp	Equipped
Rear LED Tail Lamps	Equipped
Side Impact Protection Bars	Equipped
Height Adjustable 3-Point Seatbelts	Equipped
ISOFIX Child Seat Anchorage	Equipped - 2nd Row Seat Outside & Centre
High Level Brake Light	Equipped
Park Assist	Equiped - Front & Rear
Reverse Camera	Equipped
Anti-theft Alarm, Transponder Immobiliser & Keyless Entry, Remote Central Locking and Speed Sensing Automatic Door Lock	Equipped + Remote start Engine
Passive Entry and Key FOB with immobilizer	Equipped
Follow Me Home Headlamps	Equipped
ESS (Emergency Stop Signal)	Equipped
Walk Away Auto Door Lock	Equipped
LSD / Difflock	Difflock Equipped
Rough Terrain Mode	Equipped







www.isuzu.co.ke



💢 🚹 🕩 Isuzu Kenya

Customer Care



0800 724 724

Disclaimer: The information contained in this brochure was accurate at the time of going to print. Specifications and equipment are subject to change without prior notice. Some illustrations in this brochure feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Printed colours may vary from actual. Errors and omissions excepted. Terms and conditions apply. Please contact your Isuzu retailer for exact information.